

Figure 1




Figure 2




Figure 3




Figure 4




Figure 5




Figure 6a




Figure 6b




Figure 7




Figure 8




Figure 9




Figure 10a




Figure 10b

RECEIVED
AUG 29 2001
OFFICE OF PETITIONS




Figure 11a

$$\sqrt{140} \quad \sqrt{70} \quad \sqrt{80} \quad \sqrt{295}$$

Defect/Action Information for Quality Ticket	
Operator:	CLENAadmin\testuser1
Process (Test Stage):	OT1 - RX
Symptom Category:	N/A
Comment:	
Area of Operation:	105
Process Step (Test):	fix grading test
Symptom:	N/A

Action Category:	Testing2	Testing2 Step
Components:		
Comment:		

Save

To get the detailed information on each defect double click on the corresponding row or click on the [Feedback button](#)

Status	Defect Category	Reference Designator(s)		335
		Defect	YERE, EEE	
Not Fixed	Component Defects	Damaged	YERE, EEE	
No Action	Component Defects	Damaged	YERE, EEE	

No Action	Component Defects	Component Defects	GGG, DFDD, DDD
No Action	Damaged	Damaged	


320

System Test 7 CENAdmtestuser1 CENAdmtestuser1

110

Figure 11b

RECEIVED
AUG 29 2001






Figure 13 397




Figure 14

SNOWFLAKE OF PREDICTION
2001 8 9 AUG 2001 10:40:48

PROBLEMS IN THE FIELD

386

387

388

389

The following is a list of the most likely causes for the specified SYMPTOM

Defect Category	Defect	Frequency
Component Defects	Defective Component	58
Testing Defects	Test Error	51
Component Defects	Damaged	26
Fiber Defects	Broken Fiber	11
Connector Defects	Pitted	10
Solder Defects	Insufficient Solder	8
Testing Defects	High Insertion loss	6
Solder Defects	Excessive Solder	5
Testing Defects	Proof Test Break	5
Component Defects	Wrong Component	5

350

Figure 15